

MAN TGS 18.420 4X2 BLS-TS

SH02521025



MAN I TopUsed

Body type	Tractor unit
1st reg.	05/2019
Power	309kW (420 HP)
Mileage	451411 km
Storage location	Otopeni - MHS Truck Service

BASIC DATA

Brand	MAN
Model serie	TGS
Model variant	TGS TG2
Body type	Tractor unit (Standard)
Colours	white
Driver's cab	LX
Berths	1 berth

TECHNICAL DATA

Power	309 kW (420 HP)
Fuel	Diesel
Gearbox type	Automatic
Wheel drive	4x2
Suspension	Leaf air suspension
Axles	2 axles

WEIGHTS AND MEASURES

GVW	18,000 kg
Rear overhang	700 mm
Wheel base	3600 mm
Fuel tank	AdBlue: 60 l Fuel tank: 490 l
Emission category	Euro6

EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Intarder
- Rear underrun
- Kerb mirror: right
- Heated wide angle mirror

Comfort

- Adjustable steering column
- Electric window lift 2x
- Air conditioning
- Driver's armrest
- Comfortable driver seat
- Additional heating
- Central locking
- Air-suspended driver seat
- Cup holder front
- DC/AC converter

Light and sight

- Fog lights
- Tinted glass
- Headlight range control
- Cornering light
- LED daytime running lights

Assistance systems

- Adaptive Cruise Control ACC
- MAN BrakeMatic
- Brake assist
- Lane-Guard-System LGS
- Hill Hold Control HHC

Wheels and tyres

- Light alloy rims: ALCOA matt
- Spare wheel carrier

Interior

- Board computer
- Multifunctional steering wheel
- Aluminum inlays
- Digital tachograph: with speed and additional recording for tankers
- Carpet floor covering

Audio & communication

- Radio
- Mobile phone preparation Bluetooth
- AUX & USB connector

Speed limiter

Exterior

- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock
- Fifth wheel
- 1x15 pin plug
- Cab Suspension
- Working lights
- Lifting roof (manual)
- RIO Box

Equipment packages

Safety basic package

Others

- front springs parabolic 7.1 t, rear air suspension 13 t, hub reduction rear axle Hypoid HY-1350, HY axle ratio i 2.71, fuel filter heating, wiring for tank truck to ADR, equipment for dangerous goods to ADR, type EXIII (EXII,FL,AT), fire apron for tanker, supply kit for semitrailer with lifting axle or moving-off aid, electrical preparation for retrofit of a PTO, tanker vehicle socket 24V (15-pin), pick-up plate 40 mm