

SH06361024

MAN TGX 18.440 4X2 BLS



Price

Offer Date

19,250 EUR (net) **22,908 EUR** (gross) 20.07.2025

Body type
1st reg.
Power
Mileage
Storage location

Tractor unit 09/2015 324kW (441 HP) 669377 km Otopeni - MHS Truck Service

BASIC DATA

Brand	MAN
Model serie	TGX
Model variant	TGX TG2
Body type	Tractor unit (Standard)
Colours	red
Driver's cab	XXL
Berths	2 berths

TECHNICAL DATA

Power	324 kW (441 HP)
Fuel	Diesel
Gearbox type	Automatic
Wheel drive	4x2
Suspension	Leaf air suspension
Axles	2 axles

WEIGHTS AND MEASURES

GVW	18,000 kg
Rear overhang	800 mm
Wheel base	3600 mm
Fuel tank	AdBlue: 60 I
	Fuel tank: 580 l
	Fuel tank: 580 l
Emission category	Euro6

WWW.MAN-RULATE.RO



EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Intarder
- Rear underrun
- Kerb mirror: right
- Heated wide angle mirror

Interior

- Board computer
- Multifunctional steering wheel
- Digital tachograph
- Sun visor
- Carpet floor covering
- Cooling box

Audio & communication

Radio/CD

Comfort

- Adjustable steering column
- Electric window lift 2x
- Automatic climate control
- Driver's armrest
- Electr. lifting sunroof
- Comfortable front seats
- Additional heating
- Central locking with remote control
- Heated drivers seat
- Air-suspended front seats
- Driver's lumbar support
- Stationary air conditioning
- Isolated driver's cab
- DC/AC converter

Light and sight

- Fog lights
- Tinted glass
- Headlight range control
- Cornering light
- Daytime running lights
- Ambient lighting

Assistance systems

- Adaptive Cruise Control ACC
- MAN BrakeMatic
- Brake assist: Emergency Brake Assist 1
- Lane-Guard-System LGS
- Hill Hold Control HHC
- Speed limiter

Exterior



- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock
- Shunting coupler: RINGFEDER 6451
- Fifth wheel
- Spare wheel
- Cab Suspension
- Working lights
- Telematics system

Wheels and tyres

Spare wheel carrier

Equipment packages

- Aero package
- Safety activ plus package

Others

front springs parabolic 7.5 t, rear air suspension 13 t, hub reduction rear axle Hypoid HY-1350, hypoid axle ratio i 2.53, fuel filter heating, cab insulation NORDIC, cross member for trailer coupling, supply kit for semitrailer with lifting axle or moving-off aid, trailer socket 24V (7-7-pin), pick-up plate 40 mm