

# **MAN TGX 18.440 4X2 LLS-U**

# SH06311024



Price 1

**14,990 EUR** (net)

**18,138 EUR** (gross)

Offer Date 15.08.2025

Body type Tractor unit

1st reg. 09/2016

Power 324kW (441 HP)

Mileage 636784 km

Storage location Otopeni - MHS Truck

Service

# **BASIC DATA**

Brand MAN

Model serie TGX

Model variant TGX TG2

Body type Tractor unit (Mega)

Colours white

Driver's cab XLX

Berths 2 berths

### **TECHNICAL DATA**

Power 324 kW (441 HP)

Fuel Diesel

Gearbox type Semiautomatic

Wheel drive 4x2

Suspension Air suspension

Axles 2 axles

# **WEIGHTS AND MEASURES**

Fuel tank

GVW 18,000 kg

Rear overhang 800 mm

Wheel base 3600 mm

Fuel tank: 480 l

Fuel tank: 480 l

AdBlue: 80 I

Emission category Euro6



# **EQUIPMENT**

# Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Rear underrun
- Kerb mirror: right
- Heated wide angle mirror

#### Interior

- Board computer
- Multifunctional steering wheel
- Digital tachograph
- Carpet floor covering
- Cooling box

#### **Exterior**

- Self-levelling suspension
- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock
- Fifth wheel
- 1x15 pin plug
- Cab Suspension
- Lifting roof (manual)
- Telematics system

#### **Assistance systems**

- Efficientcruise
- MAN BrakeMatic

#### **Comfort**

- Adjustable steering column
- Electric window lift 2x
- Automatic climate control
- Driver's armrest
- Comfortable front seats
- Additional heating
- Central locking with remote control
- Air-suspended front seats
- Isolated driver's cab
- DC/AC converter

## Light and sight

- Fog lights
- Tinted glass
- Cornering light
- Daytime running lights
- Ambient lighting

#### **Audio & communication**

- Radio/CD
- AUX & USB connector



- Brake assist: Emergency Brake Assist 2
- Lane-Guard-System LGS
- Hill Hold Control HHC
- Speed limiter

# Wheels and tyres

Spare wheel carrier

# **Equipment packages**

- Aero package
- Efficientline 2 package

#### **Others**

front air suspension 7.5 t, rear air suspension 11.5 t, hub reduction rear axle Hypoid HY-1350, hypoid axle ratio i 2.53, fuel filter heating, cab insulation NORDIC, cross member for trailer coupling, wiring for tank truck to ADR, ADR Typ AT, equipment for dangerous goods to ADR, type OX, supply kit for semitrailer with lifting axle or moving-off aid, trailer socket 24V (15-pin), navigation SD EUROPA WEST