

MAN TGX 18.460 4X2 BLS

SH03930224



Price **10,990 EUR** (net)
13,298 EUR (gross)
Offer Date 16.08.2025

Body type	Tractor unit
1st reg.	10/2017
Power	338kW (460 HP)
Mileage	807923 km
Storage location	Otopeni - MHS Truck Service

BASIC DATA

Brand	MAN
Model serie	TGX
Model variant	TGX TG2
Body type	Tractor unit (Standard)
Colours	red
Driver's cab	XLX
Berths	2 berths

TECHNICAL DATA

Power	338 kW (460 HP)
Fuel	Diesel
Gearbox type	Automatic
Wheel drive	4x2
Suspension	Leaf air suspension
Axles	2 axles

WEIGHTS AND MEASURES

GVW	18,000 kg
Rear overhang	800 mm
Wheel base	3600 mm
Fuel tank	AdBlue: 60 l Fuel tank: 580 l Fuel tank: 580 l
Emission category	Euro6

EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Retarder
- Rear underrun
- Kerb mirror: right
- Heated wide angle mirror
- Flashing beacon

Interior

- Board computer
- Multifunctional steering wheel
- Aluminum inlays
- Digital tachograph: with speed and additional recording for tankers
- Carpet floor covering
- Cooling box

Exterior

- Self-levelling suspension
- Electr. and heated rear view mirrors
- Low noise
- Rear differential lock
- Fifth wheel
- 1x15 pin plug
- Working lights
- Axle load indicator
- Lifting roof (manual)
- Telematics system

Comfort

- Adjustable steering column
- Electric window lift 2x
- Air conditioning
- Driver's armrest
- Front seats adjustable in height
- Comfortable driver seat
- Additional heating
- Central locking with remote control
- Air-suspended driver seat
- Isolated driver's cab
- DC/AC converter

Light and sight

- Fog lights
- Tinted glass
- Headlight range control
- Cornering light
- Daytime running lights

Audio & communication

- Radio
- Mobile phone preparation Bluetooth
- AUX & USB connector

Assistance systems

- Cruise control
- MAN BrakeMatic
- Brake assist: Emergency Brake Assist 2
- Lane-Guard-System LGS
- Hill Hold Control HHC
- Speed limiter

Wheels and tyres

- Spare wheel carrier

Equipment packages

- Aero package
- Efficientline 3 package

Others

- front springs parabolic 7.5 t, rear air suspension 13 t, hub reduction rear axle Hypoid HY-1350, hypoid axle ratio i 2.53, fuel filter heating, cab insulation NORDIC, wiring for tank truck to ADR, equipment for hazardous goods to ADR, type FL (AT), equipment for dangerous goods to ADR, type OX, fire apron for tanker, supply kit for semitrailer with lifting axle or moving-off aid, tanker vehicle socket 24V (15-pin), pick-up plate 40 mm