

SH06601224

MAN TGX 18.460 4X2 LLS-U



Price

Offer Date

19,690 EUR (net) **23,431 EUR** (gross) 22.07.2025

Body type
1st reg.
Power
Mileage
Storage location

Tractor unit 07/2017 338kW (460 HP) 680274 km Otopeni - MHS Truck Service

BASIC DATA

Brand	MAN
Model serie	TGX
Model variant	TGX TG2
Body type	Tractor unit (Mega)
Colours	white
Driver's cab	XLX
Berths	2 berths

TECHNICAL DATA

Power	338 kW (460 HP)
Fuel	Diesel
Gearbox type	Automatic
Wheel drive	4x2
Suspension	Leaf air suspension
Axles	2 axles

WEIGHTS AND MEASURES

GVW	18 kg
Rear overhang	800 mm
Wheel base	4 mm
Fuel tank	AdBlue: 60 l
	Fuel tank: 580 l
	Fuel tank: 580 l
Emission category	Euro6



EQUIPMENT

Safety

- Antilock Braking System ABS
- Anti Slip Regulation ASR
- Electr. Stability Programm ESP
- Immobilizer
- Rear underrun
- Kerb mirror: right
- Wide angle mirror

Interior

- Board computer
- Leather steering wheel
- Inlays
- Tachograph
- Rubber floor covering
- Cooling box

Audio & communication

- Radio
- Car phone
- Audio-interface

Light and sight

Comfort

- Adjustable steering column
- Electric window lift
- Air conditioning
- Front armrest
- Electric driver seat
- Comfortable seats
- Stationary heating
- Central locking
- Air-suspended driver seat
- Isolated driver's cab
- DC/AC converter

Exterior

- Self-levelling suspension
- Electr. rear view mirrors
- Low noise
- Differential lock
- Fifth wheel
- 2x7 pin plug
- Cab Suspension
- Axle load indicator
- Lifting roof

Assistance systems

- Cruise control
- Electronic Brake System EBS
- Brake assist: Emergency Brake Assist 2
- Lane Departure Warning System LDWS
- Hill Hold Control HHC
- Speed limiter

- Tinted glass
- Headlight range control
- Daytime running lights

Wheels and tyres

Spare wheel carrier

Equipment packages

- Optic package
- Equipment package

Others

front springs parabolic 7.5 t, rear air suspension 13 t, hub reduction rear axle Hypoid HY-1350, hypoid axle ratio i 2.53, fuel filter heating, cab insulation NORDIC, wiring for tank truck to ADR, ADR Typ AT, equipment for dangerous goods to ADR, type OX, supply kit for semitrailer with lifting axle or moving-off aid, trailer socket 24V (15-pin), pick-up plate 40 mm